	Application No.	Applicant(s)	
Notice of Allowability	10/649,943	CHEN, CHRIS	
	Examiner	Art Unit	
	Xiuqin Sun	2863	197
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>08/28/2003</u> .			
2. The allowed claim(s) is/are <u>1-3</u> .			
3. The drawings filed on <u>28 August 2003</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), te ment/Comment	

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-3 are allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

The primary reason for the allowance of claims 1-3 is the inclusion of the limitations of: multiple first elongated holes adapted to be defined in opposite sides of the backboard to correspond to the extensions; multiple second elongated holes adapted to be defined in opposite sides of the lens to align with the first elongated holes of the backboard such that the extensions extending through the corresponding first elongated holes of the backboard are able to extend through the second elongated holes of the lens; a riveting device adapted to a first corner of the lens to allow the lens to be pivotable relative to the box; and a cam adapted to be rotatably mounted on the bottom face defining the top opening of the box and extending out of a cam hole in a second corner of the lens opposite to the first comer such that pivotal movement of the cam is able to force the backboard to move linearly and thus relative position between the lens and the backboard is adjusted. It is these limitations found in each of the claims, as they are claimed in the combination that have not been found, taught or suggested by the prior art of record, which make these claims allowable over the prior art.

Application/Control Number: 10/649,943

Art Unit: 2863

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art Citations

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 1) Ishii et al. (U.S. Pub. No. 2003/0161040 A1) is entitled to "Stereoscopic image display device and electronic apparatus".
- 2) Uemura (U.S. Pub. No. 2004/0080614 A1) is entitled to "Image reading apparatus".
- 3) Kowarz et al. (U.S. Pub. No. 2003/0117711 A1) is entitled to "System and method for calibration of a display system with a linear array modulator".

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Xiuqin Sun whose telephone number is (571)272-2280. The examiner can normally be reached on 6:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571)272-2269. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/649,943

Art Unit: 2863

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Xiuqin Sun Examiner Art Unit 2863

XS[']

December 20, 2004

John Barlow

Supervisory Pat in Examiner